

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	254	370/389,392.CCLS. AND toS	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:31
L2	37049	bit with pattern	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:31
L3	1383	2 same rout\$3	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:31
L4	11425	370/351,352,353,354,355,356,392, 389.ccls.	US-PGPUB; USPAT	OR	ON	2006/06/14 14:32
L5	2954818	@prad<="19980803" or @rlad<="19980803" or @ad<="19980803"	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:32
L6	2878	L5 and l4	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:36
L7	19	3 and 6	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:33
L8	207	6 and (((type with service) or tos) same rout\$)	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:36
L9	181	6 and (((type with service) or tos) same rout\$) and bit	US-PGPUB; USPAT	OR	ON	2006/06/14 14:37
L10	18	6 and (((type with service) or tos) same rout\$) and (pattern with bit)	US-PGPUB; USPAT	OR	ON	2006/06/14 14:41
L11	294	(pattern with bit).clm. and (rout\$3). clm.	US-PGPUB; USPAT	OR	ON	2006/06/14 14:42
L12	99	(pattern with bit).clm. same (rout\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/06/14 14:42
S1	2788448	"370"/\$.ccls. and alternate with network and access with node @ad<="19989803"	US-PGPUB; USPAT	OR	OFF	2006/06/14 11:27
S2	180	"370"/\$.ccls. and alternate with network and access with node and @ad<="19989803"	US-PGPUB; USPAT	OR	OFF	2004/09/07 10:20
S3	53	"370"/\$.ccls. and alternate with network and access with node and quality and @ad<="19989803"	US-PGPUB; USPAT	OR	OFF	2006/02/23 11:26
S4	13	"370"/\$.ccls. and alternate with network and access with node and quality and rerout\$3 and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:29
S5	35	"370"/\$.ccls. and alternate with network with rerout\$3 and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:31
S6	2	"370"/\$.ccls. and alternate with network with rerout\$3 and bit with pattern and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:35

EAST Search History

S7	0	"370"/\$.ccls. and rerout\$3 and access with node with bit with pattern and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:33
S8	2	"370"/\$.ccls. and access with node with bit with pattern and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:33
S9	4	"370"/\$.ccls. and alternate with network with rerout\$3 and access adj node and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:36
S10	19	"370"/\$.ccls. and alternate with network and rerout\$3 and access adj node and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:38
S11	0	370/354.ccls. and alternate with network and rerout\$3 and access adj node and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:38
S12	0	370/354.ccls. and rerout\$3 and access adj node and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:38
S13	3	370/354.ccls. and access adj node and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:39
S14	3	370/354.ccls. and rerout\$3 and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 10:47
S15	114	370/351,352,353,354,355,356.ccls. and rerout\$3 and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 14:07
S16	5	370/351,352,353,354,355,356.ccls. and rerout\$3 and bit with pattern and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 11:25
S17	75	370/351,352,353,354,355,356.ccls. and bit with pattern and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2006/03/10 10:19
S18	7	370/351,352,353,354,355,356.ccls. and rerout\$3 and request\$3 with quality and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2006/06/14 14:32
S19	5	370/351,352,353,354,355,356.ccls. and rerout\$3 with voice with network and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 14:11
S20	0	370/351,352,353,354,355,356.ccls. and rerout\$3 with voice with data with video and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 14:11
S21	6	370/351,352,353,354,355,356.ccls. and route with voice with data with video and @ad<="19989803"	US-PGPUB; USPAT	OR	ON	2004/09/07 14:11
S22	2950232	@prad<="19980803" or @rlad<="19980803" or @ad<="19980803"	US-PGPUB; USPAT	OR	OFF	2006/02/23 11:26

EAST Search History

S23	34	TOS with bit with pattern	US-PGPUB; USPAT	OR	ON	2006/02/23 11:28
S24	14	S22 and S23	US-PGPUB; USPAT	OR	ON	2006/02/23 11:27
S25	39	TOS same (bit with pattern)	US-PGPUB; USPAT	OR	ON	2006/02/23 13:14
S26	18	S22 and S25	US-PGPUB; USPAT	OR	ON	2006/02/23 11:28
S27	0	TOS same (rerout\$3)	US-PGPUB; USPAT	OR	ON	2006/02/23 11:29
S28	827	TOS same (rout\$3)	US-PGPUB; USPAT	OR	ON	2006/02/23 11:29
S29	212	S22 and S28	US-PGPUB; USPAT	OR	ON	2006/02/23 13:13
S30	1379	370/352-356.ccls. and S22	US-PGPUB; USPAT	OR	ON	2006/02/23 13:23
S31	10625	alternate with network	US-PGPUB; USPAT	OR	ON	2006/02/23 13:14
S32	97404	((bit with pattern) or TOS)	US-PGPUB; USPAT	OR	ON	2006/02/23 13:15
S33	93	S30 and S32	US-PGPUB; USPAT	OR	ON	2006/02/23 13:15
S34	9	S30 and TOS	US-PGPUB; USPAT	OR	ON	2006/02/23 13:40
S35	864	S30 and ((service or data) with type)	US-PGPUB; USPAT	OR	ON	2006/02/23 13:41
S36	864	S30 and ((service or data) with type)	US-PGPUB; USPAT	OR	ON	2006/02/23 13:45
S37	132	S30 and (request\$3 with (service or data) with type)	US-PGPUB; USPAT	OR	ON	2006/02/23 13:49
S38	30	S30 and (switch\$3 with request\$3 with voice with data)	US-PGPUB; USPAT	OR	ON	2006/02/23 13:52
S39	5	S30 and rout\$3 with (bit with pattern)	US-PGPUB; USPAT	OR	ON	2006/02/23 13:53
S40	111	S30 and rout\$3 with ((bit with pattern) or (service with type))	US-PGPUB; USPAT	OR	ON	2006/02/23 13:54
S41	2950749	@prad<="19980803" or @rlad<="19980803" or @ad<="19980803"	US-PGPUB; USPAT	OR	OFF	2006/03/10 09:15
S42	680	rout\$3 with bit with pattern	US-PGPUB; USPAT	OR	ON	2006/03/10 10:01
S43	445	S41 and S42	US-PGPUB; USPAT	OR	ON	2006/03/10 09:40

EAST Search History

S44	3	S41 and S42 and Tos	US-PGPUB; USPAT	OR	ON	2006/03/10 09:42
S45	9	S41 and S42 and (alternate with network)	US-PGPUB; USPAT	OR	ON	2006/03/10 09:47
S46	26	S41 and S42 and rerout\$3	US-PGPUB; USPAT	OR	ON	2006/03/10 09:54
S47	4	traffic with type with bit with pattern and S41	US-PGPUB; USPAT	OR	ON	2006/03/10 09:53
S48	20049	bit adj pattern	US-PGPUB; USPAT	OR	ON	2006/03/10 09:54
S49	12615	S41 and S48	US-PGPUB; USPAT	OR	ON	2006/03/10 09:54
S50	16647	traffic with type	US-PGPUB; USPAT	OR	ON	2006/03/10 09:55
S51	6	prevent\$3 with rerout\$3 with quality	US-PGPUB; USPAT	OR	ON	2006/03/10 09:56
S52	0	S41 and S51	US-PGPUB; USPAT	OR	ON	2006/03/10 09:55
S53	22	prevent\$3 same rerout\$3 same quality	US-PGPUB; USPAT	OR	ON	2006/03/10 09:56
S54	2	S41 and S53	US-PGPUB; USPAT	OR	ON	2006/03/10 09:56
S55	211	prevent\$3 with rerout\$3	US-PGPUB; USPAT	OR	ON	2006/03/10 09:56
S56	106	S41 and S55	US-PGPUB; USPAT	OR	ON	2006/03/10 09:56
S57	16	S41 and S55 and quality	US-PGPUB; USPAT	OR	ON	2006/03/10 09:57
S58	1986	rerout\$3 with (voice or video or data)	US-PGPUB; USPAT	OR	ON	2006/03/10 10:01
S59	2952689	S41 adn S58	US-PGPUB; USPAT	OR	ON	2006/03/10 10:01
S60	882	S41 and S58	US-PGPUB; USPAT	OR	ON	2006/03/10 10:02
S61	827	S41 and S58 and ((bit adj pattern) or (traffic type))	US-PGPUB; USPAT	OR	ON	2006/03/10 10:03
S62	55	S41 and S58 and ((bit adj pattern))	US-PGPUB; USPAT	OR	ON	2006/03/10 10:06
S63	0	prevent\$3 with routing with no with quality	US-PGPUB; USPAT	OR	ON	2006/03/10 10:06
S64	35	prevent\$3 with routing with quality	US-PGPUB; USPAT	OR	ON	2006/03/10 10:07
S65	7	S41 and S64	US-PGPUB; USPAT	OR	ON	2006/03/10 10:06

EAST Search History

S66	0	prevent\$3 with rout\$3 with (alternate or secondary) with quality	US-PGPUB; USPAT	OR	ON	2006/03/10 10:08
S67	2	rout\$3 with "bit pattern" with traffic	US-PGPUB; USPAT	OR	ON	2006/03/10 10:09
S68	56	"bit pattern" same (type with traffic)	US-PGPUB; USPAT	OR	ON	2006/03/10 10:10
S69	40	S41 and S68	US-PGPUB; USPAT	OR	ON	2006/03/10 10:09
S70	795	"bit pattern" same (rout\$3)	US-PGPUB; USPAT	OR	ON	2006/03/10 10:11
S71	511	S41 and S70	US-PGPUB; USPAT	OR	ON	2006/03/10 10:11
S72	16	"bit pattern" same (voice and video and data)	US-PGPUB; USPAT	OR	ON	2006/03/10 10:13
S73	6	S41 and S72	US-PGPUB; USPAT	OR	ON	2006/03/10 10:11
S74	200	"bit pattern" same (voice and data)	US-PGPUB; USPAT	OR	ON	2006/03/10 10:13
S75	138	S41 and S74	US-PGPUB; USPAT	OR	ON	2006/03/10 10:13
S76	51	"bit pattern" with (voice and data)	US-PGPUB; USPAT	OR	ON	2006/03/10 10:15
S77	138	"5" and S75	US-PGPUB; USPAT	OR	ON	2006/03/10 10:13
S78	33	S41 and S76	US-PGPUB; USPAT	OR	ON	2006/03/10 10:13
S79	6	"bit pattern" with (traffic with type)	US-PGPUB; USPAT	OR	ON	2006/03/10 10:15
S80	199	370/351,352,353,354,355,356.ccls. and bit with pattern	US-PGPUB; USPAT	OR	ON	2006/03/10 10:19
S81	94	S41 and S80	US-PGPUB; USPAT	OR	ON	2006/03/10 10:19
S82	123	370/351,352,353,354,355,356.ccls. and bit adj pattern	US-PGPUB; USPAT	OR	ON	2006/03/10 10:19
S83	2951649	S41 adn S82	US-PGPUB; USPAT	OR	ON	2006/03/10 10:20
S84	60	S41 and S82	US-PGPUB; USPAT	OR	ON	2006/03/10 10:20
S85	5370	370/389,392.CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/14 11:27
S86	2092	370/392.CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/14 11:27
S87	2213	370/370,392.CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/14 11:28

EAST Search History

S88	132	370/370,392.CCLS. AND toS	US-PGPUB; USPAT	OR	OFF	2006/06/14 14:31
-----	-----	---------------------------	--------------------	----	-----	------------------